

Surface Tension of Non-aqueous Mixtures (Alkane + Alcohol, Alcoxialcohol, Diol or Polyether Binary Systems): Experimental Results and Analysis using the Prigogine-Marechal Theory

L.M. Trejo C, S, B. Salas, L.M. Moya, M. Costas and Torner

Facultad de Química Laboratorio de Termofísica, Universidad Nacional Autónoma de México, México D. F., Mexico

B. Kronberg

The Institute for Surface Chemistry, Stockholm, Sweden

Surface studies in non-aqueous systems seem to be specially restricted to emulsions and microemulsions. Despite that, the comprehension of simpler mixtures [1] could shed some light on these more complex systems. In this work, we show our results of surface tension measurements for non-aqueous binary mixtures of linear, branched and cycled alkanes with alcohol and/or ether compounds formed by molecules with a linear, branched or cyclic structure (linear polyethers, alcoxialcohols, alcohol, and diols). For some of these systems new experimental results exist [2, 3], and both pure components could have similar surface tensions. Surface tension was measured in a thermostatted glass cell at several temperatures with the Du Nouy ring detachment (RDM) or the maximum bubble pressure methods (MBPM). The latter used a Sensadyne 600 tensiometer of 0.1 mN/m sensitivity. RDM results were corrected, as usual, with the Harkins & Jordan tables from 1930. The surface tension of all the measured mixtures show the normal positive adsorption behavior at the liquid-vapor interface, and, for some systems, we found a minimum. For those systems studied near and above their upper critical solubility temperature, we confirm the horizontal inflection related to critical closeness [1]. We try to explain the behavior of our systems in terms of molecular interactions, difference of surface tension of the pure components and molecular size difference via the simple Prigogine-Marechal model of polymer solutions [4, 5].

[1] J. Bowers, I.A. McLure, *Langmuir* 12, 3326 (1996). [2] A. Penas, E. Calvo, M. Pintos, A. Amigo and R. Bravo *J. Chem. Eng. Data* 45, 682 (2000). [3] E. Jimenez, H. Casas, L. Segade, and C. Franjo *J. Chem. Eng. Data* 45, 862 (2000) [4] K.S. Siow, D. Patterson *J. Phys. Chem.* 77, 356 (1973). [5] R. Defay, I. Prigogine, A. Bellemans, D.H. Everett *Surface Tension and Adsorption*. Longmans (1966).